

AFTAC

Air Force Technical Applications Center

RADIONUCLIDE SITE SURVEY REPORT SACRAMENTO, CALIFORNIA (RN-70)


Frank Walker John Lucas Marv Owen TSgt Earl Maurice McKethan SSgt Jason Macartney

31 March 1999

Prepared for:
Provisional Technical Secretariat
Comprehensive Test Ban Treaty Organization

Approved for Public Release Distribution Unlimited

DTIC QUALITY INSPECTED



19990413147

Report AFTAC-TR-99-009 has been reviewed and is approved for publication.

HAROLD J. BEATTY, Colonel, USAF

Commander

Addressees: Please notify HQ AFTAC/TM, 1030 S. Highway A1A, Patrick Air Force Base FL 32925-3002, if there is a change in your mailing address (including an individual no longer employed by your organization) or if your organization no longer wishes to be included in the distribution of future reports of this nature.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jeffeson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Reports, 1215 Jefferson Davis Highway, Suit- Washington, DC 20503. 1. AGENCY USE ONLY (Leave blan	a 1204.	, Arlington, VA 22202-4302, and to the	ne Office of Management and	Budget, Pa	perwork Reduction Project (0704-0188),
1. AGENCY USE ONLY (Leave blat	nk)		3. REPORT TYPE AND		
4. TITLE AND SUBTITLE		31 Mar 99			al (Final)
Radionuclide Site Survey Repor	' f			5. FUND	ING NUMBERS
Sacramento, CA (RN-70)					
out and the second					
6. AUTHOR(S)					
Frank Walker, John Lucas, Mar	v Ow	en, Maurice McKethan, Jas	on Macartney		
(AFTAC)					
7. PERFORMING ORGANIZATION N	· • • • • •	ALLO ADDRECCIEC		- 55050	
Air Force Technical Application					ORMING ORGANIZATION RT NUMBER
1030 South Highway A1A	15 CC	mer (Artacitut)		•	
Patrick AFB, Florida 32925-300	12				AFTAC-TR-99-009
Fairick Ard, Florida 32323-300	12				
					1
9. SPONSORING/MONITORING AG	ENC	Y NAME(S) AND ADDRESS(ES)			ISORING/MONITORING
					NCY REPORT NUMBER
		£ .		İ	
11. SUPPLEMENTARY NOTES			· · · · · · · · · · · · · · · · · · ·		
I II OUT I BEHTMINITEN THE INC					
					·
12a. DISTRIBUTION AVAILABILITY STA	ATEMI	ENT		12b. DIS	TRIBUTION CODE
	••				
Approved for public release, dis					
13. ABSTRACT (Maximum 200 word	s)			L	
The purpose of this report is to		ate that the Sacramento, CA	, site will fulfill treaty	requirem	ents as set forth by the
Preparatory Commission for the	Com	prehensive Test Ban Treaty	Organization.	_	
		-	-		
The team performing the site su	-		_		-
proposed site. The samples wer		-	•		
review. The team included met		_			
meteorological conditions that n	_			necessa	ry background information
required by the Commission wa	s rese	earched and is included in the	ne report.		
The analysis of the samples ider		-		_	ct future samples at the site.
There are no significant findings	s that	would prevent this site from	n meeting treaty requir	ements.	
					•
14. SUBJECT TERMS					15. NUMBER OF PAGES
AFTAC-TR-99-009					50
Radionuclide Site Survey Repor	t Sac	cramento. CA (RN-70)			16. PRICE CODE
CTBT CTBT	t,	Viantonio, 0.1 (22. 70)			1911
17. SECURITY CLASSIFICATION			19. SECURITY CLASSIFICA	TION	20. LIMITATION OF ABSTRACT
OF REPORT	0	OF THIS PAGE	OF ABSTRACT		
UNCLASSIFIED	UNCLASSIFIED UNCLASSIFIED UNCLASSIFIEI				

This page intentionally left blank

TABLE OF CONTENTS

List of Figures	ν
List of Tables	
Introduction	
Site Survey Guidance	
1. General Information	1
2. Narrative Site Description	
3. Available Buildings and Land for Hosting the Radionuclide Station	
4. Operational Information	2
5. Existing Station Infrastructure	3
6. Installing Preferences for Upgrading or for a New Station	
7. Meteorological Information	3
8. Safety	
9. Environmental Issues	
10. Radiological Information	5
11. Schedule and Measurements	
12. Observations, Reasonings, Discussion, and Recommendations	
Annex A: Local and General Siting Maps of Sacramento, California	11
Annex B: Site Photographs	13
Annex C: Annual Meteorological Graphs	
Annex D: Decoupling Report	19
Annex E: Local Weather Conditions	
Annex F: Experimental Air Sampler Raw Data	23
Annex G: Airborne Radionuclide Concentration Annual Graphs	25
Annex H: Topographic Map	27
Annex I: Tectonic Area Map	
Annex J: Hazard Maps of Sacramento, California, Region	
Annex K: Airborne Gamma Spectrometry Map	33
Annex L: Equipment Used During Site Survey	
Annex M: Equipment Used for Air Sampling and Soil/Rock Samples	
Annex N: Daily Activity Log	30

Annex O: Personnel List	41
Distribution List:	43

List of Figures

Figure 1: Aerosol Sample Isotope Weighted Mean Concentration Sum	mary Graph_ 8
Figure 2: Soil Sample Isotope Weighted Mean Concentration Graph _	9
Figure A-1: General Area Map of Sacramento California	11
Figure A-2: Local Area Site Map	12
Figure A-3: Site Map	
Figure B-1: View from Site to North	13
Figure B-2: View from Site to East	14
Figure B-3: View from Site to South	15
Figure B-4: View from Site to West	16
Figure C-1: Annual Wind Speed Graph	17
Figure C-2: Annual Temperature Graph	17
Figure C-3: Annual Precipitation Graph	18
Figure H-1: Topographic Map of Sacramento Area	27
Figure I-1: Tectonic Map of Western United States	29
Figure J-1: Earthquake Hazard Map of California	31
Figure M-1: Soil Sample Site Map	37

List of Tables

Table 1: Local Airports	1
Table 2: Natural Hazards	5
Table 3: Nearby Nuclear Power Plants	6
Table 4: Nearby Non-Power Nuclear Plants	6
Table 5: Summary of Aerosol Sample Weighted Mean Concentrations	7
Table 6: Soil Sample Isotope Measurements	8
Table 7: Soil Sample Isotope Weighted Error Concentrations	9
Table D-1: Decoupling Frequency of Occurrence	19
Table E-1: Meteorological Data Summary of Local Conditions	21
Table F-1: Aerosol Sample Collection/Measurement Information	23
Table F-2: Additional Aerosol Concentration Data	23

RADIONUCLIDE SITE SURVEY REPORT

RN-70

Introduction

Sacramento, California, USA, is listed in the Comprehensive Test Ban Treaty (CTBT) as the location for an International Monitoring System (IMS) radionuclide detection system. This site is located at Camp Kohler, a part of McClellan Air Force Base (AFB) in Sacramento, California, which is scheduled to become a Federal Aviation Administration (FAA) facility after base closure. The purpose of this report is to validate that the Sacramento site will fulfill the requirements for treaty compliance.

Site Survey Guidance

The format and content of this report are based on guidance provided by the Preparatory Commission for the CTBT Organization for conducting and documenting radionuclide site surveys (see CTBT/PC/IV/WGB/1), "Requirements of Site Surveys for Radionuclide Stations," (30 September 1997).

1. General Information

- a. CTBT Location Coordinates: 38.70°N/121.40°W
- b. Proposed Location: 38°40′23.6″N/121°21′42.6″W
- c. Altitude: The site is located at 60 meters (m) Mean Sea Level (MSL).
- d. Locality: The site is located on US Government (USAF/FAA) property in the city of Sacramento, in Sacramento County.
 - e. Province: California, USA
- f. Airports: One commercial and one military airport provide local access to the site, as shown in Table 1 below. McClellan AFB is scheduled for closure within the next year; disposition of the airfield is still to be determined. Distances to the site are in kilometers (km).

Table 1: Local Airports

Airfield	Distance from Site	Direction from Site		
Sacramento International	18 km	west		
McClellan AFB	2 km	west		

- g. Seaports: Sacramento has a seaport on the Sacramento River within 20 km of the site.
- h. Rail Station: There is a rail station in Sacramento within 20 km southwest of the site. A rail line runs within 2 km of the site.
- i. Local Access: Interstate Highway 80 is approximately 5 km southeast of the site. Numerous state roads surround the station and provide access from any direction.
- j. Best and most cost effective way for transporting heavy equipment: The most cost-effective way for transporting heavy equipment is by commercial highway carrier.

- **k.** Best and most cost effective way for people to access the station location: The most cost-effective method for people to access the site is either by commercial aircraft or by private auto.
- **l. Description:** The site is on a flat plain surrounded by gently rolling hills. The climate can be described as semi-arid.
- m. Type of terrain: The site is located on a flat parking area east of and adjacent to Building 4004 on the Camp Kohler complex. The area is surrounded by residential areas on gently rolling terrain.
 - n. Located in valley/depression: The site is not located in a valley.
 - o. Grade: N/A
 - p. Person in charge of the site survey:
 - (1) Name: Vance Hawley
 - (2) Organization: AFTAC
 - (3) Address: 1030 S. Highway A1A, Patrick AFB, Florida 32925-3002
 - (4) Phone: (407) 494-1413
 - (5) Fax: (407) 494-1417
 - (6) E-mail: vhawley@aftac.gov

2. Narrative Site Description

The site is located within the boundaries of Camp Kohler, which is part of McClellan AFB. This part of the base will close in April 1999 and eventually be taken over by the FAA. The shelter will be located adjacent to Building 4004, on the edge of the parking lot east of the building. The equipment will be housed in a concrete pre-fabricated shelter manufactured by Rohn, Inc., of Bessemer, Alabama. The equipment site is surrounded by a chain link fence, and the entire area is surrounded by a three-strand barbed wire fence. The FAA plans to install a 12 foot-high chain link fence when it assumes control of the facilities. Adequate power and communications already exist at the site.

3. Available Buildings and Land for Hosting the Radionuclide Station

The pre-fabricated building and the land on which it will be located are US Governmentowned.

4. Operational Information

- a. Responsible Agency: Air Force Technical Applications Center (AFTAC)
- b. Address: 1030 S. Highway A1A, Patrick AFB, Florida 32925-3002
- c. Technical contact:
 - (1) Name: John Lucas
 - (2) Address: AFTAC, 1030 S. Highway A1A, Patrick AFB, Florida 32925-3002
 - (3) Phone: (407) 494-7594
 - (4) Fax: (407) 494-5460
 - (5) E-mail: johnl@aftac.gov
- d. Is the site shared with other organizations or used for additional purposes? The building housing the sampler equipment will not be used by any other organization or for any other purpose.

e. Spare parts availability:

- (1) Spares at site: There are no spares located at the site.
- (2) Time to replace parts: DME Corporation of Orlando, Florida, is the manufacturer/maintenance contractor. The contract calls for replacement of defective equipment within 72 hours.

5. Existing Station Infrastructure

This is a new station. No prior infrastructure existed prior to the site survey and subsequent equipment installation.

6. Installing Preferences for Upgrading or for a New Station

- a. Type of operation: The proposed station will be an automated operation.
- b. Type of system:
- (1) Air sampler: The proposed station will employ a Radionuclide Aerosol Sampler/Analyzer (RASA) manufactured by DME Corporation.
 - (2) Measuring system:
 - (a) Detector: The detector is a high purity Germanium detector.
- **(b) Electronic**: The electronics package is a DSPec digital spectrometer manufactured by EG&G.
 - (c) Software: The software is US Government-provided software.
- **c.** Preferences or needs concerning the housing of the station: There are no other needs concerning the housing of the site.
 - d. Other preferences: None

7. Meteorological Information

a. General climate description: Sacramento and the lower Sacramento Valley have a mild climate with abundant sunshine most of the year. The sky is cloudless throughout the summer and much of the spring and fall. The summers are usually dry, with warm to hot afternoons and mostly mild nights. The rainy season is normally November through March. About 75 percent of the annual precipitation occurs during this time frame; however, measurable rain falls only about nine days a month during this period. The shielding effects of mountains to the north, east, and west usually modify winter storms. The Sierra Nevada snow fields, only 100 km east of Sacramento, provide an adequate water supply during the dry season. Heavy snowfall and torrential rains frequently fall on the western Sierra slopes and may produce flooding along the Sacramento River and its tributaries. In the valley, however, excessive rainfall as well as damaging winds are rare.

The prevailing wind at Sacramento is southwesterly every month except November, when it is northerly. Topographic effects, the north-south alignment of the valley, the Coast Range, and the Sierra Nevada Range strongly influence the wind flow in the valley. A sea level gap in the Coast Range permits cool, oceanic air to occasionally flow into the valley during the summer season. This effect is marked by a significant lowering of temperatures throughout the Sacramento-San Joaquin Delta. In the spring and fall, a large north to south pressure gradient develops over the northern part of the state. Air flowing over the Siskiyou Mountains to the north warms and dries as it descends to the valley floor. This gusty north wind is a variation of the Chinook.

Thunderstorms are few in number, usually mild, and occur mainly in the spring. An occasional thunderstorm may drift over the valley from the Sierra Nevada in the summer. Snowfalls are so rare that they may be disregarded as a climatic feature. Heavy fog occurs mostly in midwinter, never in summer, and seldom in spring or autumn. An occasional winter fog, under stagnant atmospheric conditions, may continue for several days. Light and moderate fogs are more frequent, and may come at any time during the cool, wet season. The fog is the radiation cooling type, and is usually confined to the early morning hours.

- b. Average annual rainfall: The average annual rainfall is 44.2 centimeters (cm).
- c. Maximum rain precipitation per 24 hours: The maximum rain precipitation in 24 hours was 9.65 cm and was recorded in the month of October.
- d. Snowfall: Snowfall occurs only in trace amounts from December through April. The maximum recorded snowfall was 2 cm recorded in the month of February.
 - e. Prevailing wind direction: The prevailing wind direction is from the southwest.
- f. Maximum wind speed: The maximum observed wind speed is 49 knots recorded in the month of November.
- g. Min/Max temperature and annual average temperature: The minimum recorded temperature is -8°C, which occurred in the month of December. The maximum recorded temperature was 46°C, which occurred in the months of June and July. The mean annual temperature is 16°C.
- h. Nearby large bodies of water: The Pacific Ocean is 150 km due west of the site, while Lake Tahoe is 150 km northeast.
- i. Nearby mountain ranges: The Sierra Nevada Range is within 90 km east of the proposed site. The Coastal Range is within 80 km west of the site.
- j. Nearby population centers: The site is located within the city of Sacramento which has a population of 1.5 million.
- k. Industrial pollution: The industrial pollution is indexed as 50 out of 500 on the Environmental Protection Agency (EPA) Pollution Standards Index (PSI). A level at or below 100 indicates that a pollutant reading is in the satisfactory range. The pollutants indexed by the PSI are called "criteria pollutants." They are pollutants for which sciencebased health criteria are used to determine the allowable ambient (outdoor) air concentrations. The EPA regulates the criteria pollutants because of their impact on human health and the environment. They are:

Carbon monoxide (CO)

Ground-level ozone (O₃)

Lead (Pb)

Nitrogen dioxide (NO₂)

Particulate matter (PM₁₀)

Sulfur dioxide (SO₂)

The standards or allowable concentrations

for these six pollutants are known as

National Ambient Air Quality Standards

(NAAQS).

The main pollutants measured were carbon monoxide, ground level ozone, and particulate matter.

I. Nearby weather station: The nearest weather station is a National Weather Service station within 5 km of the site.

m. Person or institution that provided meteorological report:

- Name: SSgt Jason Macartney, Staff Meteorologist, AFTAC/TMSW
 Address: 1030 S. Highway A1A, Patrick AFB, Florida 32925-3002
- (3) Phone: (407) 494-7933 (4) Fax: (407) 494-5450
- n. Date of this report: 15 August 1998
- o. Description of local microclimate situation: The local microclimate can be described as a semi-arid plain.
- **p. Recency of above data**: The meteorological data used hourly recordings from January 1947 through December 1991. The pollution data were measured from January 1997 through December 1997.

8. Safety

a. Natural hazards: The natural hazards in Table 2 reflect the associated risk level to the station (risk level: non-existent, very low, medium, high, very high). Hazard maps, depicting medium-risk level or higher hazards are shown in Annex J, if available.

Table 2: Natural Hazards

Hazard	Risk level	Hazard	Risk level
Hurricane	very low	Landslide	medium
Tornado	very low	Volcanic activity	non-existent
Tsunami	non-existent	Animals	very low
Flood	medium	Other	none
Earthquake	high		

b. Description and possible countermeasures:

- (1) Potential safety issues on human activities in the surrounding areas: The area surrounding the site is a residential area. The FAA plans to erect a new fence which will reduce the potential for vandalism. The new fence will also eliminate any safety risks to children who use this area as a short-cut between their residential area and school.
 - (2) Potential terrain issues: There are no other terrain issues concerning the site.

9. Environmental issues

There are no other environmental issues.

10. Radiological Information

- a. Average and seasonal range of Pb-212 airborne concentration (mBq./m³): The weighted average Pb-212 concentration was 7.90 mBq./m³. Insufficient data exist to provide seasonal range information. The average readings were based on daily measurements for 6 days in September 1995 as shown in Table 5.
- b. Average and seasonal range of Be-7 airborne concentration (mBq./m³): The weighted average Be-7 concentration was 1.46 mBq./m³. Insufficient data exist to provide seasonal range information. The average readings were based on daily measurements for 6 days in September 1995 as shown in Table 5.

- c. Average and seasonal range of Cs-137 airborne concentration (mBq./m³): The weighted average Cs-137 concentration was 0.01 mBq./m³. Insufficient data exist to provide seasonal range information. The average readings were based on daily measurements for 6 days in September 1995 as shown in Table 5.
- d. Average and seasonal range of Pb-210 airborne concentration ($\mu Bq./m^3$): No Pb-210 data were available.
- e. Nearby nuclear power plants: The nuclear power plants shown below in Table 3 are within 700 km of the site. Rancho Seco, a decommissioned power plant 10 km south of Sacramento, still has nuclear fuel present.

Table 3: Nearby Nuclear Power Plants

Plant name	Type of reactor	Distance from site	Direction from site
WPPSS Unit 2	Boiling Water Reactor		
	(BWR)	700 km	north
San Onofre	Pressurized Water		
Unit 2	Reactor (PWR)	605 km	southeast
San Onofre	Pressurized Water		
Unit 3	Reactor (PWR)	605 km	southeast
Diablo Canyon	Pressurized Water		
Unit 2	Reactor (PWR)	370 km	south
Diablo Canyon	Pressurized Water		
Unit 3	Reactor (PWR)	370 km	south
Rancho Seco	Pressurized Water		
(Decommissioned 1989)	Reactor (PWR)	10 km	south

f. Nearby plants where radioisotopes are used or produced: The Nuclear Non-power Reactors located within the state of California are shown in Table 4.

Table 4: Nearby Non-power Nuclear Plants

Plant name	Type of reactor	Distance from site	Direction from site
Aero Test,			
San Ramon, CA	Triga (Industrial)	100 km	southwest
General Atomics,			
San Diego, CA	Triga Mark I	750 km	southeast
General Electric			
Pleasanton, CA	Nuclear Test	105 km	southwest
University of California			
at Irvine, Irvine, CA	Triga Mark I	650 km	southeast
University of California			
(on McClellan AFB)	Triga	2 km	west

- g. Other natural and/or anthropogenic radionuclides: Other natural and/or anthropogenic isotopes that were measured are shown in Table 5 and Figure 1.
- h. Constant and episodic anthropogenic sources of radionuclides: In the soil samples, Cs-137, Bi-212, Ra-224, and Ac-228 were found in some of the samples after not being detected in the corresponding background. Of all of these, Cs-137 is the only one not part of a natural process or a natural decay chain. The remainder of the isotopes observed were simply present in the air or soil samples in higher concentrations than what occurs in the counting room background. These isotopes (K-40, Bi-211, Bi-212, Pb-212, Bi-214, Pb-214, Th-228, Th-231, Th-234, and U-235) are naturally occurring

and/or are part of the natural decay chains. The Cs-137 is likely a remnant of the Chernobyl accident and atmospheric nuclear testing.

- i. Other potential man-made radioactive sources: There are seven hospitals in the Sacramento area within 25 km of the site that may produce radioactive isotopes that will affect the RASA data. In addition, there are numerous oncology and magnetic resonance imagery clinics within 25 km of the site that may also produce radioactive isotopes. The neutron reactor in a hanger on McClellan AFB was present during air sampling and did not affect the samples. This reactor is being turned over to the University of California after base closure, and will remain in its present location.
- **j. Elevated natural radiation sources:** No other known natural radiation sources were observed.
 - k. Other: N/A
 - I. Recency of above data: 1 February 1999

11. Schedule and Measurements

- a. Period of the on-site survey: The air filter data were taken from historical data from a prototype RASA at McClellan AFB. Air samples were taken during the period of 3-10 September 1995. Additional cumulative data from 90 other samples, from October 1995 through January 1996, were also provided in Annex F. Soil samples were taken on 13 October 1998. Current GPS coordinates and site photos were taken on 1-5 March 1999.
 - b. Dose rate measurements: Not applicable
 - c. In situ gamma spectrometry: Not applicable
- **d.** Aerosol filter measurement: The aerosol sample concentration measurements shown in Table 5 and Figure 1 were taken at a site located 22 km from the proposed site. However, the data still provide an accurate representation of the Sacramento area.

Table 5: Summary of Aerosol Sample Weighted Mean Concentrations

	Weighted* Average	Standard	Average %
Isotope	(mBq/m3)	Deviation	Deviation
Be-7	1.46	1.0621	4.5
K-40	1.28	0.1669	2.7
Cs-137	0.01	0.0011	23.3
Pb-212	7.90	7.2364	20.9
Pb-214	22.63	15.3394	21.5
Bi-212	44.13	37.7791	6.8
Bi-214	38.74	50.2389	13.2
U-235	0.06	0.0089	8.7

^{*} Weighted by % Deviation




Figure 1: Aerosol Sample Isotope Weighted Mean Concentration Summary Graph

e. Soil/rock samples: Soil sample concentration measurements are shown in Tables 6 and 7 and Figure 2.

Table 6: Soil Sample Isotope Measurements

Isotope	Samp	ole I	Sam	ple 2	Sam	ple 3	Sam	ple 4	Sam	ple 5	Sam	ple 6
	mBq/gm	% Dev										
Be-7	21.92	16.4			7.98	33.7	11.73	30.5	79.70	6.8	116.15	5.3
K-40	209.82	8.0	180.00	10.1	127.14	11.4	111.58	14.1	125.99	12.0	210.39	7.6
Cs-137	1.95	23.1	3.41	17.3	3.26	15.0	1.48	33.3	1.76	24.3	10.08	7.0
Po-210											9.09	35.0
Bi-211	20.18	31.5	61.05	15.8	28.50	19.3	21.51	28.7	49.51	16.6	59.82	60.0
Bi-212	28.98	14.8	22.74	18.4	17.46	19.7	18.34	21.6	26.90	14.8	25.12	14.9
Pb-212	39.09	3.3	41.37	3.7	28.30	. 3.7	26.37	4.4	31.32	4.0	42.90	2.6
Bi-214	17.79	7.9	20.77	8.0	17.57	7.0	13.51	10.0	17.91	8.6	19.78	6.7
Pb-214	13.94	13.2			13.44	10.7	8.97	19.9	2.65	103.3		
Ra-224	33.77	13.5	45.26	12.9	23.93	16.1	37.71	14.8	53.89	11.9	66.62	6.7
Ac-228	45.23	3.8	37.25	5.1	26.86	6.2	29.58	5.6	32.96	5.7	35.06	5.0
Th-228	70.75	32.9	25.75	89.7	71.17	27.8			27.19	81.9	60.00	33.7
Pa-234M							151.36	44.4	75.15	75.9		
Th-234	23.33	34.8	24.77	32.6	15.96	38.6	23.34	341.2	27.23	27.0	27.37	23.6
U-235	3.79	19.2	3.65	9.9	2.72	22.2	1.97	37.4	2.34	27.3	3.75	16.6

Table 7: Soil Sample Isotope Weighted Error Concentrations

Isotope	Weighted Mean* (mBq/gm)	Standard Deviation	Average % Deviation		
K-40	370.04	102.4	6.0		
Cs-137	4.20	1.8	17.8		
Bi-211	16.09	4.1	39.3		
Bi-212	14.91	3.7	25.2		
Pb-212	20.21	3.8	5.2		
Bi-214	13.49	2.5	10.5		
Pb-214	8.57	1.8	19.9		
Ra-224	38.41	10.4	22.3		
Ac-228	23.46	3.6	6.5		
Th-288	45.98	11.6	42.1		
Th-234	20.02	7.7	48.4		
U-235	2.27	0.4	30.3		

^{*} Weighted by % Deviation




Figure 2: Soil Sample Isotope Weighted Mean Concentration Graph

12. Observations, Reasonings, Discussion, and Recommendations

- **a.** Air flow decoupling at site: Air flow decoupling rarely occurs at the site. See Annex D for detailed decoupling data.
- **b. Micro climate conditions at site**: The microclimate at the site is a semi-arid plain, surrounded by gently rolling terrain.
 - c. Infrastructure (existing/needed): There is no current infrastructure at the site.

- d. Background radioactivity (natural/anthropogenic): All known natural and anthropogenic radionuclide sources have been identified and are not considered significant.
- e. Communications (proposed locations of VSAT antenna, host country communication regulations, etc.): Communication is by commercial telephone line.
 - f. Final evaluation: This location is expected to fulfill IMS requirements.

Annex A: Local and General Siting Maps of Sacramento, CA




Figure A-1: General Area Map of Sacramento, California.

ANNEX A: Local and General Siting Maps of Sacramento, CA (continued)




Figure A-2: Local Area Site Map




Figure A-3: Site Map

Annex B: Site Photographs




Figure B-1: View from Site to North

Annex B: Site Photographs (continued)




Figure B-2: View from Site to East

Annex B: Site Photographs (continued)



Figure B-3: View from Site to South

Annex B: Site Photographs (continued)



Figure B-4: View from Site to West

Annex C: Annual Meteorological Graphs

Yearly graphs of wind speed, temperature and precipitation.




Figure C-1: Annual Wind Speed Graph




Figure C-2: Annual Temperature Graph

Annex C: Annual Meteorological Graphs (continued)




Figure C-3: Annual Precipitation Graph

Annex D: Decoupling Report

Meteorological report that attests that the site survey area is not decoupled from upper airflow for a period greater than 24 hours.

The average decoupling estimate is based on the climatological record of the Pasquill-Gifford stability classes for the site, where D is neutral, A is very unstable, and G is very stable. To estimate the site decoupling, the percentage of time the site experienced Pasquill-Gifford stability classes of F and G was summed. These are defined as stable conditions for F and extremely stable for G. The underlying assumption is that decoupling will only occur when the atmosphere is stable. These two stability classes can only occur at night, with wind speeds less than 3 m/s, and less than half the sky can have clouds. These data are based on hourly surface observations taken at each station.

The F and G conditions generally do not last for more than 2-3 hours during a specific day at Sacramento. Therefore, the Sacramento sampling site is not decoupled from the upper atmosphere for periods exceeding 24 hours.

Period of Record: 1973-1996

of Observations: 209,272 NWS McClellan AFB, CA % Frequency of Occurrence Stability Indices for Sacramento, California

Table D-1: Decoupling Frequency of Occurrence

Stability Index	% Freq of Occurrence	Stability Index	% Freq of Occurrence		
Jan F&G	26.0%	Jul F&G	20.0%		
Feb F&G	29.9%	Aug F&G	21.0%		
Mar F&G	25.8%	Sep F&G	34.2%		
Apr F&G	27.2%	Oct F&G	40.1%		
May F&G	24.5%	Nov F&G	38.1%		
Jun F&G	20.2%	Dec F&G	27.6%		

This page intentionally left blank

Annex E: Local Weather Conditions

Meteorological report by experts on local weather conditions (local air flow)

44 - Year Meteorological Report (Jan 47 - Dec 91)

Met Station: NWS, McClellan AFB, CA

Table E-1: Meteorological Data Summary of Local Conditions

	Mn	Mn	Mn	Ext	Ext	Mn	Max	Min	24hr	Prev	Prev	Max	Mn	Max	24hr
	Max	Min	Avg	Max	Min	Рср	Pcp	Pcp	Max	Wnd	Wnd	Wnd	Snw	Snw	Max
	Tmp	Tmp	Tmp	Tmp	Tmp	Amt	Amt	Amt	Рер	Dir	Spd	Gust	Fall	Fall	Snw
Jan	12	4	8	21	-6	9.40	24.6	0.51	7.62	SE	8	46	T	T	T
Feb	16	5	11	25	-5	9.50	22.3	0.25	6.60	SE	8	40	T	2	2
Mar	18	6	12	31	-3	6.60	20.6	0.00	4.60	SW	9	41	T	T	T
Apr	22	8	15	34	0	3.05	10.6	0.00	5.60	SW	9	39	T	Т	Т
May	27	10	19	41	1	1.02	7.9	0.00	3.80	sw	10	44	0	0	0
Jun	31	13	22	46	5	0.25	3.3	0.00	2.79	SW	11	39	0	0	0
Jul	34	15	25	46	9	T	2.0	0.00	2.03	SSW	9	32	0	0	0
Aug	33	15	24	43	9	0.25	1.2	0.00	1.52	SSW	9	29	0	0	0
Sep	31	14	22	42	6	0.76	7.1	0.00	4.57	SSW	9	33	0	0	0
Oct	26	10	18	39	2	2.30	19.1	0.00	9.65	NW	9	35	0	0	0
Nov	18	6	12	31	-3	5.60	18.8	T	6.10	NW	8	49	0	0	0
Dec	12	4	8	22	-8	7.10	32	0.00	7.37	SE	8	44	T	Т	0
Ann	24	9	16	46	-8	44.20	84.9	14.20	9.65	sw	9	49	T	2	2

Data listed in Table E-1 are measured in degrees Centigrade, centimeters of precipitation, and knots of wind speed.

This page intentionally left blank

Annex F: Experimental Air Sampler Raw Data

Table F-1: Aerosol Sample Collection/Measurement Information

Sample	Collection	Collection			Acquisition Start	Duration (hr)	
	Start	Stop	(hr)	` '			
Filter 1	03-Sep-95		24	23706.28	05-Sep-95	24	
Filter 2	04-Sep-95		24	23293.96		21.3	
Filter 3	07-Sep-95	08-Sep-95	24	19889.54	09-Sep-95	24	
Filter 4	08-Sep-95	09-Sep-95	24	17291.56	10-Sep-95	24	
Filter 5	09-Sep-95	10-Se9-95	24	21277.36	11-Sep-95	24	
Filter 6	10-Sep-95	11-Sep-95	24	21058.74	12-Sep-95	24	
14	File	4	CIL	er 2	Filter 3		
Isotope	Filte mBq/m ³	% Dev	mBq/m ³	% Dev	mBq/m ³ % Dev		
Be-7	1.10	2.2	2.60	6.8			
K-40	1.10	2.6	1.19	2.5	1.34	2.9	
Cs-137	0.01	17.9	0.01	19.6	0.01	24.1	
Pb-212	2.64	10.2	1.53	11.6	19.43	14.8	
Pb-214	0.67	20.1	0.59	24.0	0.81	32.3	
Bi-212	13.80	8.3	8.67	7.5	89.74	6.7	
Bi-214			1.31	17.9	2.98	9.4	
U-235	0.05	7.3	0.05	6.7	0.06	10.0	
Isotope	Filt	er 4		er 5	Filter 6		
	mBq/m ³	% Dev	mBq/m ³	% Dev	mBq/m ³	% Dev	
Be-7							
K-40	1.58	2.7	1.22	3.1	1.26	2.5	
Cs-137	0.01	35.0	0.01	25.8	0.01	17.4	
Pb-212	11.05	10.0	8.47	7.2	0.65	71.6	
Pb-214	0.91	28.7	38.34	3.5	0.86	20.3	
Bi-212	52.00	4.9					
Bi-214	2.77	16.6	115.00	7.3	3.66	14.9	
U-235	0.07	7.3	0.06	8.8	0.06	12.1	

Table F-2: Additional Aerosol Concentration Data

Additional Concentration Data						
Isotope	Concentration	Period				
Be-7	~ 1.5 mBq/m ³	12 Oct 95-01 Feb 96				
Pb-212	~ 40 mBq/m ³	12 Oct 95-07 Dec-96				
Pb-212	~ 15 mBq/m ³	14 Dec 96-01 Feb 96				
Total dataset includes	90 samples					

This page intentionally left blank

Annex G: Airborne Radionuclide Concentration Annual Graphs

Yearly graphs of radionuclide concentrations in the air.

This information was not sampled.

This page intentionally left blank

Annex H: Topographic Map

Topographic map of the Sacramento, California, area.




Figure H-1: Topographic Map of Sacramento Area

This page intentionally left blank

Annex I: Tectonic Area Map

Tectonic map of Western United States




Figure I-1: Tectonic Map of Western United States

Annex J: Hazard Maps of Sacramento, California, Region

No flood or landslide hazard maps of the Sacramento area were available.

Figure J-1 below depicts a recent cross-section of earthquake activity in the general area of the site.




Figure J-1: Earthquake Hazard Map of California

Annex K: Airborne Gamma Spectrometry Map

Airborne gamma spectrometry maps

This information is not applicable.

Annex L: Equipment Used During Site Survey

List of equipment used (with technical specifications and manufacturer) during the site survey.

Global Positioning Satellite Receiver

Model:

Garmin GPS 12XL

Certificate:

FCC ID JPH-17800

Manufacturer: Garmin

Olathe, Kansas, USA

Annex M: Equipment Used for Air Sampling and Soil/Rock Samples

List of equipment used (with technical specifications and manufacturer) for the filter used during the on-site survey and the soil/rock samples.

Soil/Rock Samples: Four soil samples were collected from within a few hundred m of the proposed RASA sampler site. Two more samples were collected from 1-3 km from the site. These two samples were taken upwind of the site. Samples were scooped into plastic vials after loose dust was brushed away from the soil surface. About 25 cm³ of soil was contained in each vial. A map was sketched of the sample area, with all sampling sites marked (see Figure M-1). Labels were applied to each vial corresponding with sites on the sketch. Vials were then placed in a sealable plastic bag and mailed to the laboratory.

1. 38°40′23.1″N/12°21′42.6″W
2. 38°40′23.1″N/121°21′45.8″W
3. 38°40′23.8″N/121°21′45.7″W
4. 38°40′23.8″N/121°21′25.6″W
6. 38°40′57.7″N/121°21′26.2″W
Site. 38°40′23.6″N/121°21′42.6″W

#6.

Railroad tracks

Roseville Rd.

#3

#4

Figure M-1: Soil Sample Site Map

Annex M: Equipment Used for Air Sampling and Soil/Rock Samples (continued)

Air Samples: Air filter samples were obtained with a prototype RASA which recorded samples 22 km from the site.

Annex N: Daily Activity Log

Log of overall daily activities during the site survey.

3-10 September 1995

Air samples taken.

13 October 1998

Soil samples taken.

1-5 March 1999

GPS coordinates/Site photos taken.

1 October 1998 - 31 March 1999

Meteorological and background data compiled.

26 March 1999

Site survey report completed.

Annex O: Personnel List

List of the scientific and/or technical people who participated in the survey process, (with phone number, fax, and E-mail).

Soil Samples

TSgt Steven Fredericks*
SSgt Andrew Austin*

Tech Operations Division, McClellan AFB, CA Tech Operations Division, McClellan AFB, CA

GPS Coordinates/Photos

SSgt Vance Hawley (AFTAC/LG)

(407) 494-1414

Phone

(407) 494-1417

Fax

vhawley@aftac.gov E-mail

^{*}Individuals no longer at base.

Distribution List:

OSD/NTP (2) DTRA/OST (1) AFTAC/TM (3) AFTAC/TT (1) AFTAC/CAS (1) AFTAC/LSCLM (6) AFTAC/TMSW (1) ASC Det 3 (1) CTI (3) DTIC (1)